



GRITTE GLORY
RALLY TOURER EXTREME





FORGED OFF THE TRACK















200mm HIGH GROUND CLEARANCE

▶ Elevated clearance for navigating rocky trails and uneven terrain.



41mm UPSIDE DOWN SUSPENSION
 180mm travel for predictable handling over harsh terrains.

MADE TO GO EXTREME

EVERY ELEMENT FORGED TO SURPASS ANYTHING THAT NATURE THROWS AT IT.



HIGH-STRENGTH STEEL TRELLIS FRAME

Paired with lightweight aluminium-casted swingarm for unmatched structural stiffness.



SWITCHABLE ABS

Gives you the freedom to tackle any terrain - because your adventure shouldn't be limited by brakes.



500mm WATER-WADING CAPACITY

For confident deep-water crossings.



MONOTUBE REAR SUSPENSION

180mm travel monotube suspension with floating piston.



FRONT AND REAR ADJUSTABLE SUSPENSION

Easy adjustability for preload and damping to optimise comfort and control.



ADVENTURE-ORIENTED TYRES

Wide tread block tyres for superior off-road performance.



TRACTION CONTROL

Dynamically adjusts torque based on surface conditions to prevent wheelspin.



BRASS-COATED CHAIN

Resists corrosion and wear, ensuring enhanced durability and minimal maintenance.







PICK YOUR HUE













SPECIFICATIONS

ENGINE

Capacity 299.1 cc

Type Single Cylinder, Liquid Cooled, DOHC, 4 Stroke

 Max Power
 36 PS @ 9,000 rpm

 Max Torque
 28.5 Nm @ 7,000 rpm

Transmission 6-Speed Manual Transmission

Bore 78 mm
Stroke 62.6 mm
Fuel System Fuel Injection

Clutch Wet Multi-Plate Lean Segment Assist and Slipper Clutch

Starting System Electric Start
Throttle Ride-By-Wire

Compression Ratio 11.6:1
Bore-To-Stroke Ratio 1.25
Valves Per Cylinder 4

CHASSIS AND SUSPENSION

Frame Steel Trellis
Swingarm Aluminium Cast
Front Suspension USD, Ø 41mm
Front Suspension Travel 180 mm

Rear Suspension Monoshock with Floating Piston

Rear Suspension Travel 180 mr

BRAKES AND TYRES

Front Brake 320 mm, fixed caliper
Rear Brake 240 mm, floating caliper
ABS Dual Channel, Switchable Rear

Front Tyre 110/80 - 19 Rear Tyre 150/70 - 17

FEATURES

Bi-Directional Quickshifter

Cruise Control

Map Mirroring

Bluetooth Connectivity

Traction Control

Yes*

Yes*

Yes*

Yes*

Yes*

Ride Modes 4 - Urban, Rain, Tour & Rally

Adjustable Levers Yes
Pannier Mounting Provision Yes
Top Case Mounting Provision Yes*

*Only available in Top and BTO variants

DIMENSION

1400 mm Height 885 mm Width 2176 mm Length 1430 mm Wheelbase Kerb Weight 180 kg Seat Height 835 mm **Ground Clearance** 200 mm 12.5 litres **Fuel Tank Capacity**

ELECTRICALS

Headlight Class D LED Dynamic Headlamp, AHC
Tail Light LED

Turn Signal Lamp LED

Speedometer Fully Digital 5" TFT Cluster

Battery Type 12V, 8Ah

DISCOVER THE APACHE EXPERIENCE



Every Apachean can register and be a part of the Apache Owners Group, a motorcycling community consisting of over 3,00,000 members. With chapters across the globe, the group embarks on motorcycling adventures of all kinds.





Wheelies pop, and jaws drop.
The Apache Pro Performance is a series of stunt shows like no other. Featuring the best precision riders in the country who put on thrilling performances that get your adrenaline pumping.





Expert track sessions for those who want to hone their racing skills. Spread across 4 countries and 20 cities, participants will be trained by championship-winning mentors from TVS Racing. Top racers will compete in national and international ARE GP races.

